

Call Mr Robeson LX Focus Notes and Lighting Equipment Summary.
May 2017

Channel Number	Lantern Type	Colour/ Gobo	Focus	Pairings/Alternatives Notes
General Warm Wash				
General Cool Wash				
5	1 Kw Fresnel or CP62 Par.	L200 Strong Steel Blue.	Backlight / overhead. U.S Centre to Off U.S Left. Upstage of playing area. (Corridor)	
6	1 Kw Profile.	R317 Mid/Strong Amber.	Ideally at shoulder height USL wing. Straight shot across stage. Off U.S. blacks and Floor.	Fresnel may be used, with barn doors
8	1 Kw WIDE profile. (7 metre cover).	DHA 77564 Loose Weave.	Focused sharp across whole set (circular record). Gobo. Soft focus.	
13	1 Kw Profile	O/W R119	Focus sharp for “concert stage”. Includes D and M.S.C. About 2 metres wide. Special.	
14	1 Kw Fresnel	L201	Gen. cover. Includes someone stood at and onstage of piano.	
15	1 Kw Profile	L153	Focus to C.S. Special on centre chair position. 2 metres wide.	
16	1 Kw Profile	O/W DHA 77513. Window Gobo.	Focus to C.S. Special on floor to SL and USC relative to centre chair position.	
17	1 Kw Profile	O/W. R132 Frost	Focused to keyboard of piano. No spill onto stage.	
18	1 Kw Profile	O/W R119 Frost.	Sharp focus to full body when stood on box D.S.L. Box Special.	
22	2 Kw Fresnel	L079	General Cover. Focused to whole playing area.	
23	1 Kw Fresnel	2 x L441	3 metre wide special D.S. & C.S.	
24	1 Kw Fresnel	L121	Special when sat and stood at C.S. chair. 2m wide	
25	1 Kw Profile	L103	Special for pianist. Include most of piano.	Fresnel may be used

Channel Number	Lantern Type	Colour/ Gobo	Focus	Pairings/Alternatives Notes
26	1 Kw Profile	O/W R119 frost	Cut tight to include 2 x D.S.R record set pieces.	Can be paired with 27 and/or 30
27	1 Kw Profile	O/W R119 frost	Cut tight to include 2 x U.S.L record set pieces.	Can be paired with 26
28	150 watt flood	O/W	Bench base. Placed behind U.S.R upright record set piece.	Can be paired with 29 Par Can may be used
29	150 watt flood.	O/W	Bench base. Placed behind U.S.L. upright record set piece.	Can be paired with 28 Par Can may be used
30	1 Kw Profile	O/W R119 frost	Cut tight to include 2 x US flown record set pieces.	Can be paired with 27 and/or 28
31	1 Kw Profile	O/W R119 frost	Cut tight to picture on record piece, S.R.	

Gels	Fresnel	Profile	Channel(s)
L151	1		1
L103		1	25
R317		1	6
L200	1		5
R119		5	13,18,26,27, 30, 31
L153		1	15
R132		1	17

Summary of specials:

8 No. Fresnels
9 No. Profiles
2 No. 150W Floods.

Gobos (B and M sizes usually carried by performer, but not holders)

1 x DHA 77564 Loose Weave. (General break up, random crossed lines).
1 x DHA 77513. Elliptical. Formal / Public Building window.

Summary of specials:

8 No. Fresnels
9 No. Profiles
2 No. 150W Floods.

Gobos (B and M sizes usually carried by performer, but not holders)

1 x DHA 77564 Loose Weave. (General break up, random crossed lines).
1 x DHA 77513. Elliptical. Formal / Public Building window.